




佛山市星际铝材有限公司
Foshan Xingji Aluminum Co., LTD

Address: Huiguo Road, Hongsha Hi-Tech Development Zone, Guanyao, Nanhai District, Foshan City
[http: //www.xingjily.com](http://www.xingjily.com) E-mail: jennali@aliyun.com



CREATE A DIFFERENT SENSE
OF QUALITY WHOLEHEARTEDLY



Thermal Break Aluminum



XINGJI PROFILE

星际简介

Founded in 1999,FOSHAN XINGJI ALUMINUM CO., LTD now is a large comprehensive enterprise, specializing in the production of aluminum profile, window system,tempered glass and curtain wall system.Ranking among China Top 10 Aluminum Manufactures, XINGJI group covers an areas of 150,000 square meters for aluminum extrusion producing,running 3 fabrication centers with over 1000 workers and hundred of salesmen.Besides,there are over 30 sets of cutting machines to making windows and doors,which means we can provide over 40,000 square meters capacity per month for building projects.Meanwhile ,there is 10 extrusion production lines of various tonnages (800T/1000T/1500T/2000T),providing over 40000 tons aluminum alloy annual output. With a fully automatic horizontal powder coating production line enhance our standard to meet requirement of product color diversification,ensure product high quality and fast delivery.


We have a strong research and development team who are from top brand in this field, and they are specializes in the trend of product development.What's more,about the designs,the senior designs fully grasp human culture and intelligent technology to combine with the new researches of modern life style and structural

mechanics,which developed more than 200 kinds of fashionable and generous patent products. At the same time,most of advanced production equipment have been imported from Germany and Italy,which realized the cleaning of glass cleaning and the automation edge sealing,and aluminum profile cutting.

With more than 20 years experience of making aluminum window and door,we own a good faith and popular reputation in this trade from our customers,which coverage throughout China and more than 40 countries in the world.we always keep in mind with our business philosophy "people-oriented,customer first,excellence,continuous improvement" Taking customer satisfaction as the standard,establishing a long cooperation relationship with our client,building common development,create brilliant future.

XINGJI FACTORY VISION

星际工厂规模



XINGJI ENGINEERING CASES

星际工程案例



Panyu Zhonghai Zuo 'anlanting, Guangzhou
广州番禺中海左岸澜庭

China Construction Jinghecheng, Changsha
长沙中建璟和城

Vanke Rongxin Seattle, Hangzhou
杭州万科融信西雅图

Binjiang Hecheng, Tianfu New District, Chengdu
成都天府新区滨江和城

XINGJI'S CERTIFICATES

星际证书



XINGJI CULTURE

星际文化

BRAND TENET

品牌宗旨

Persist in accumulation, constantly change; Pursue perfection, eventually surpass!

坚持积累，不断蜕变；追求臻至，终将超越！

BRAND CONCEPT

品牌理念

With the power of science and technology, make the products be reborn! With the spark of creativity, let the experience unprecedented! With the spirit of artisans, make the quality unparalleled! With intimate service, let customers feel spring breeze!

用科技的力量，让产品涅槃重生！用创意的火花，让体验前所未有的！用匠人的精神，让品质无与伦比！用贴心的服务，让顾客如沐春风！

BRAND VISION


品牌愿景

Xingji strives to make a new brand by careful accumulation, bold innovation, free subversion and practical practice, has the courage to accept the pressure and challenges of the aluminum alloy industry in China, and even firmly believes in the time truth of "the big waves wash out the sand to see the gold". Only willing is to witness the growth and transformation with customers and to test the value and meaning of the brand with customers!

星际力争做一个小心积淀、大胆创新；自由颠覆、踏实践行的新品牌，并勇于接受中国铝合金行业的压力和挑战，乃至坚信“大浪淘沙始见金”的时间真理，惟愿与用户一起见证成长与蜕变，惟愿与客户一起检验品牌的价值与含义！

XINGJI STRENGTH

星际实力



BRAND SCAL

品牌规模

We have provided curtain wall products and services for more than 20,000 projects across the country, and the customer return rate is as high as 95%.

已为全国 2 万多个工程项目提供了幕墙产品服务，客户回头率高达 95%。

STRONG TEAM

强大团队

Xingji Aluminum Company has a skilled technical team with more than 10 years of processing experience, which can meet the different demands of the industry.

星际铝业现有一支工艺精湛的技术团队，加工经验 10 余年，能够满足行业的不同需求。

STRICT QUALITY INSPECTION

严格质检

During mass production, 10% of raw materials are sampled, and the customized products are strictly controlled. Only when the products are qualified can they leave the warehouse.

批量生产时原材料进行 10% 抽检，对加工定制产品严格管控，产品合格才出库。

SOPHISTICATED EQUIPMENT

设备精良

The modern production base is 50,000 m², with hundreds of sets of sophisticated deep processing equipments, providing integrated services from die opening of aluminum profiles to deep processing.

现代化生产基地 50000 m²，拥有上百套精良的深加工设备，提供从铝型材开模到深加工一体化服务。

PRODUCT CATALOG

产品目录

CASEMENT WINDOW

平开窗	
86 tilt and turn window 86 内开窗	09/10
95 double swing inward window 95 双内开窗	11/12
100 casement window 100 平开窗	13/14
113 casement window 113 平开窗	15/16
120 casement system window 120 系统窗	17/18
138 narrow frame window 138 窄边窗	19/20
45 casement project window 45 工程窗	21/22
50 casement window 50 平开窗	23/24
South Africa window 南非铝合金窗	25/26

SLIDING WINDOW

推拉窗	
125 narrow frame sliding window 125 窄边推拉窗	27/28
115 thermal break aluminum sliding window 115 断桥推拉窗	29/30
115 sliding window 115 非断桥推拉窗	31/32
80 sliding window 80 非断桥推拉窗	33/34

SLIDING/SIDE HUNG DOOR








推拉 / 平开门	
132/201 thermal break aluminum narrow frame sliding door 132/201 断桥窄边推拉门	35/38
40 narrow frame sliding door 40 窄边推拉门	39/42
40 system sliding door 40 系统推拉门	43/44
40 extremely narrow side hung door 40 极窄平开门	45/46
40 × 51 side hung door 40 × 51 平开门	47/48

SHUTTERS



百叶窗	49
-----	----

COLOR PALETTE


色 板

			
Smooth black 肌肤黑	Starlight grey 皓月星光	fluorinated coffee 氟泳咖啡	Starbucks coffee 星巴咖啡
			
starlight coffee 星曜咖啡	space gray 太空灰	Cullinan Blue 库里蓝	sky gray 天际灰
			
moonlight gray 月光灰	Burra gray 布拉灰	Bena grey 贝纳灰	porcelain grey 瓷泳灰
			
fluorine platinum grey 氟泳铂灰	fluorocarbon champagne 氟碳香槟金	Milan white 米兰白	
			
Golden-silk paulownia 金丝桐木	black wood 黑槭木	walnut 胡桃木	sub-gray oak 亚灰橡木
			
Brazil black walnut 巴西黑胡桃	cedar 香柏木	white oak 白橡木	


86 INWARD OPENING WINDOW SERIES
86 内开窗系列




Model: XJ-DQPK9571 (Outer frame)
Thickness: 1.75mm Weight: 1.647kg/m




Model: XJ-PKC8695 (Solid glass bead)
Thickness: 1.0mm Weight: 0.38kg/m




Model:
Thickness: Weight:




Model:
Thickness: Weight:




Model:
Thickness: Weight:




Model: XJ-DQPK8691 (Middle column)
Thickness: 1.75mm Weight: 1.816kg/m




Model: XJ-PKC8696 (Glass sash bead)
Thickness: 1.0mm Weight: 0.29kg/m




Model:
Thickness: Weight:




Model:
Thickness: Weight:




Model:
Thickness: Weight:




Model: XJ-DQPK8693 (Glass sash)
Thickness: 1.75mm Weight: 1.609kg/m




Model:
Thickness: Weight:



Model:
Thickness: Weight:







Model:
Thickness: Weight:



Model:
Thickness: Weight:


95 DOUBLE SWING INWARD WINDOW SERIES

95 双内开系列




Model: XJ-DQPK9571 (Outer frame)

Thickness: 1.75mm Weight: 1.789kg/m




Model: XJ-PKC12552A (Gauze bead)

Thickness: 1.1mm Weight: 0.095kg/m




Model: XJ-PKC9577 (Bead)

Thickness: 1.0mm Weight: 0.408kg/m



Model:

Thickness: Weight:




Model:

Thickness: Weight:


Model:

Thickness: Weight:




Model: XJ-DQPK9572 (Middle column)

Thickness: 1.75mm Weight: 1.949kg/m




Model: XJ-PKC9576A (Conversion frame)

Thickness: 1.4mm Weight: 0.348kg/m




Model: XJ-PKC9578 (Bead)

Thickness: 1.0mm Weight: 0.216kg/m



Model:

Thickness: Weight:




Model:

Thickness: Weight:


Model:

Thickness: Weight:




Model: XJ-DQPK9573 (Glass sash)

Thickness: 1.75mm Weight: 1.504kg/m




Model: XJ-PKC9575 (Yarn sash)

Thickness: 1.3mm Weight: 0.474kg/m




Model:

Thickness: Weight:



Model:

Thickness: Weight:









Model:

Thickness: Weight:


Model:

Thickness: Weight:


113 CASEMENT WINDOW SERIES
113 平开窗系列




Model: XJ-DQPK110265 (Outer frame)
Thickness: 1.3mm Weight: 1.517kg/m




Model: XJ-DQPK110267 (Attached frame)
Thickness: 1.3mm Weight: 1.302kg/m




Model: XJ-XL496 (Anti-theft grille)
Thickness: 1.1mm Weight: 0.261kg/m




Model: XJ-PKC12552A (Gauze bead)
Thickness: 0.9mm Weight: 0.089kg/m




Model: XJ-PKC10893
Thickness: 1.1mm Weight: 0.304kg/m




Model: XJ-DQPK110266 (Middle column)
Thickness: 1.3mm Weight: 1.624kg/m




Model: XJ-DQPK110271 (Outer frame)
Thickness: 1.3mm Weight: 1.448kg/m




Model: XJ-PKC110269 (Arc bead)
Thickness: 1.0mm Weight: 0.354kg/m




Model: XJ-PKC110270 (Bending bead)
Thickness: 1.0mm Weight: 0.331kg/m




Model:
Thickness: Weight:




Model: XJ-PKC11527 (Glass sash)
Thickness: 1.3mm Weight: 1.413kg/m




Model: XJ-PKC10028 (Lattice base)
Thickness: 1.2mm Weight: 0.283kg/m



Model: XJ-FPKC6503 (Yarn sash)
Thickness: 1.2mm Weight: 0.594kg/m













Model:
Thickness: Weight:



Model:
Thickness: Weight:


120 CASEMENT SYSTEM WINDOW SERIES

120 系统窗系列




Model: XJ-DQPK12045 (Outer frame)

Thickness: 1.9mm Weight: 2.337kg/m




Model: XJ-PKC12552A (Middle column)

Thickness: 1.9mm Weight: 2.467kg/m




Model: XJ-DQPK12051 (Outer frame)

Thickness: 1.9mm Weight: 2.104kg/m




Model: XJ-PKC12053 (Bead)

Thickness: 1.1mm Weight: 0.365kg/m




Model: XJ-XL496 (Anti-theft grille)

Thickness: 1.1mm Weight: 0.261kg/m




Model: XJ-DQPK12046 (Middle column)

Thickness: 1.9mm Weight: 2.471kg/m




Model: XJ-DQPK12050 (Attached frame)

Thickness: 1.4mm Weight: 1.546kg/m




Model: XJ-PKC12805 (Yarn sash)

Thickness: 1.6mm Weight: 0.749kg/m




Model: XJ-PKC8509 (Square bead)

Thickness: 1.0mm Weight: 0.24kg/m




Model: XJ-PKC12577 (Lattice base)

Thickness: 1.4mm Weight: 0.405kg/m




Model: XJ-DQPK12047 (Outer frame)

Thickness: 1.9mm Weight: 2.34kg/m




Model: XJ-DQPK12050 (Glass sash)

Thickness: 1.9mm Weight: 1.85kg/m




Model: XJ-PKC12052 (Bead)

Thickness: 1.1mm Weight: 0.369kg/m



Model: XJ-DQPK12052 (False middle sash material)

Thickness: 1.4mm Weight: 1.175kg/m







Model: XJ-PKC11076 (False middle yarn)

Thickness: 1.4mm Weight: 0.43kg/m

138 EXTREMELY NARROW WINDOW SERIES

138 极窄窗系列



XJ-PKC12801A XJ-PKC12801B

42

24.8

138

With C25 thermal break strip

Model: XJ-DQPK13805 (Outer frame)

Thickness: 1.8mm Weight: 2.09kg/m

XJ-PKC12802A XJ-PKC12802B

58

24.8

138

With C25 thermal break strip

Model: XJ-DQPK13806 (Middle column)

Thickness: 1.8mm Weight: 2.285kg/m

XJ-PKC12803C XJ-PKC12803A

51

14.7

14.8

75.9

With C14.8 thermal break strip

Model: XJ-PKC12803 (Attached frame)

Thickness: 1.4mm Weight: 1.234kg/m

XJ-PKC12804A XJ-PKC12804B

71.8

33

60

14.8

With C14.8 thermal break strip

Model: XJ-PKC12552A (Glass sash)

Thickness: 1.8mm Weight: 1.683kg/m

30

47

Model: XJ-PKC12805 (Yarn sash)

Thickness: 1.6mm Weight: 0.749kg/m

19.7

48.6

Model: XJ-PKC12807 (Yarn attached frame)

Thickness: 1.4mm Weight: 0.468kg/m

34.2

15

Model: XJ-PKC12809 (Bead)

Thickness: 1.0mm Weight: 0.2661kg/m

24.7

28

Model: XJ-PKC9578 (openable Anti-theft grid)

Thickness: 1.4mm Weight: 0.405kg/m

25

13

Model: XJ-XL496 (Anti-theft grid for opening)

Thickness: 1.1mm Weight: 0.261kg/m

Model:

Thickness: Weight:

Model:

Thickness: Weight:

Model:

Thickness: Weight:

Model:

Thickness: Weight:



Model:

Thickness: Weight:


Model:

Thickness: Weight:


45 CASEMENT PROJECT WINDOW SERIES
45 工程窗系列




Model: XJ-PKC5009 (Frame)
Thickness: 1.35mm Weight: 0.713kg/m




Model: XJ-PKC5010 (Middle column)
Thickness: 1.35mm Weight: 0.869kg/m




Model: XJ-PKC5011 (Conversion material)
Thickness: 1.4mm Weight: 0.664kg/m




型号: XJ-FPKC9503 (Gauze bead)
Thickness: 1.35mm Weight: 1.019kg/m




Model: XJ-PKC5012 (Bead)
Thickness: 1.0mm Weight: 0.208kg/m




Model:
Thickness: Weight:




Model:
Thickness: Weight:




Model:
Thickness: Weight:




Model:
Thickness: Weight:




Model:
Thickness: Weight:




Model:
Thickness: Weight:




Model:
Thickness: Weight:



Model:
Thickness: Weight:







Model:
Thickness: Weight:




Model:
Thickness: Weight:


50 CASEMENT WINDOW SERIES
50 平开窗系列




Model: XJ-PKC5017
Thickness: 1.4mm Weight: 0.52kg/m




Model: XJ-PKC5018
Thickness: 1.4mm Weight: 0.57kg/m




Model: XJ-PKC5023 (Single glass sash bead)
Thickness: 1.0mm Weight: 0.18kg/m




Model: XJ-PKC5020
Thickness: 1.4mm Weight: 0.76kg/m




Model: XJ-PKC5021 (Glass sash)
Thickness: 1.4mm Weight: 0.84kg/m




Model: XJ-PKC5024 (Double glass sash bead)
Thickness: 1.0mm Weight: 0.21kg/m




Model: XJ-PKC5022 (Solid single glass bead)
Thickness: 1.0mm Weight: 0.22kg/m




Model: XJ-PKC5030 (Solid double glass bead)
Thickness: 1.0mm Weight: 0.24kg/m




Model:
Thickness: Weight:




Model:
Thickness: Weight:




Model:
Thickness: Weight:




Model:
Thickness: Weight:



Model:
Thickness: Weight:





Model:
Thickness: Weight:




Model:
Thickness: Weight:


SOUTH AFRICA WINDOW SERIES
南非铝合金窗系列




Model: XJ-FPKC4001 (Outer frame)
Thickness: 1.2mm Weight: 0.558kg/m




Model: XJ-FPKC4002 (Glass sash)
Thickness: 1.2mm Weight: 0.862kg/m




Model: XJ-FPKC4003 (Bead)
Thickness: 1.0mm Weight: 0.216kg/m




Model: XJ-FPKC4004 (Middle column)
Thickness: 1.4mm Weight: 1.325kg/m




Model: XJ-FPKC4005 (Small meddle column)
Thickness: 1.2mm Weight: 0.827kg/m




Model: XJ-FPKC4006 (Yarn sash)
Thickness: 1.1mm Weight: 0.691kg/m




Model: XJ-FPKC4007 (Frame)
Thickness: 1.2mm Weight: 0.632kg/m




Model: XJ-TLC8037
Thickness: 1.2mm Weight: 1.17kg/m




Model: XJ-TLC8038
Thickness: 1.1mm Weight: 0.68kg/m




Model: XJ-TLC8038-A (Hook)
Thickness: 1.0mm Weight: 0.24kg/m




Model: XJ-TLC8040
Thickness: 1.1mm Weight: 0.32kg/m




Model:
Thickness: Weight:



Model:
Thickness: Weight:





Model:
Thickness: Weight:




Model:
Thickness: Weight:


125 NARROW FRAME SLIDING WINDOW SERIES
125 窄边推拉窗系列




Model: XJ-FTLC12501 (Outer frame)
Thickness: 1.3mm Weight: 1.134kg/m




Model: XJ-FTLC12502 (Slide up)
Thickness: 1.3mm Weight: 1.93kg/m




Model: XJ-FTLC12503 (slide down)
Thickness: 1.3mm Weight: 2.066kg/m




Model: XJ-FTLC12504 (middle column)
Thickness: 1.3mm Weight: 1.499kg/m




Model: XJ-FTLC12505 (Glass sash)
Thickness: 1.6mm Weight: 0.794kg/m




Model: XJ-FTLC12506 (Hook)
Thickness: 1.6mm Weight: 0.556kg/m




Model: XJ-FTLC12507 (smooth double hook)
Thickness: 1.6mm Weight: 0.633kg/m




Model: XJ-FTLC12508 (upper and lower part)
Thickness: 1.4mm Weight: 0.788kg/m




Model: XJ-FTLC12509 (lock slots)
Thickness: 1.2mm Weight: 0.267kg/m




Model: XJ-FTLC12510 (close)
Thickness: 1.2mm Weight: 0.26kg/m




Model: XJ-FTLC12511 (waist cover plate)
Thickness: 1.4mm Weight: 0.814kg/m




Model: XJ-FTLC12512 (side seal cover plate)
Thickness: 1.0mm Weight: 0.312kg/m



Model: XJ-FTLC12513 (side seal cover plate)
Thickness: 1.0mm Weight: 0.36kg/m





Model: XJ-FTLC12514 (bead for the bevel edge)
Thickness: 1.1mm Weight: 0.377kg/m




Model: XJ-FTLC12515 (bead for the bevel edge)
Thickness: 1.1mm Weight: 0.377kg/m


115 THERMAL BREAK SLIDING WINDOW SERIES
115 断桥推拉窗系列




Model: XJ-DQTLC11501 (Outer frame)
Thickness: 1.3mm Weight: 1.254kg/m




Model: XJ-DQTLC11504 (Middle column)
Thickness: 1.3mm Weight: 1.709kg/m




Model: XJ-TLC11505C (Lock bar)
Thickness: 1.2mm Weight: 1.135kg/m




Model: XJ-TLC11507 (Yarn sash)
Thickness: 1.2mm Weight: 0.635kg/m




Model: XJ-TLC11506C (Glass sash closing)
Thickness: 1.2mm Weight: 0.274kg/m




Model: XJ-DQTLC11502 (Slide up)
Thickness: 1.3mm Weight: 1.999kg/m




Model: XJ-DQTLC11505 (Glass sash)
Thickness: 1.4mm Weight: 1.002kg/m




Model: XJ-TLC11506A (glass sash hook)
Thickness: 0.85mm Weight: 0.236kg/m




Model: XJ-TLC11507A (yarn sash hook)
Thickness: 0.85mm Weight: 0.209kg/m




Model: XJ-TLC11507C (yarn sash closing)
Thickness: 1.2mm Weight: 0.226kg/m




Model: XJ-DQTLC11503 (slide down)
Thickness: 1.3mm Weight: 2.265kg/m




Model: XJ-DQTLC11508
Thickness: 1.4mm Weight: 1.045kg/m



Model: XJ-TLC11506B (double-color hook)
Thickness: 0.85mm Weight: 0.158kg/m





Model: XJ-TLC11509 (circular arc bead)
Thickness: 1.1mm Weight: 0.403kg/m



Model: XJ-TLC11510 (yarn sash lock slot)
Thickness: 1.2mm Weight: 0.218kg/m


115 SLIDING WINDOW SERIES

115 非断桥推拉窗系列




Model: XJ-FTLC11501 (Edge seal)

Thickness: 1.2mm Weight: 1.022kg/m




Model: XJ-FTLC11502 (Slide up)

Thickness: 1.2mm Weight: 1.737kg/m




Model: XJ-FTLC11503 (slide down)

Thickness: 1.2mm Weight: 1.842kg/m




Model: XJ-FTLC11504 (middle column)

Thickness: 1.2mm Weight: 1.345kg/m




Model: XJ-FTLC11505 (waist cover plate)

Thickness: 1.3mm Weight: 0.734kg/m




Model: XJ-FTLC11506 (Smooth double hook)

Thickness: 1.2mm Weight: 0.73kg/m




Model: XJ-TLC11506A (glass sash hook)

Thickness: 0.85mm Weight: 0.236kg/m




Model: XJ-TLC11506B (double-color hook)

Thickness: 0.85mm Weight: 0.158kg/m




Model: XJ-TLC11506C (Glass sash closing)

Thickness: 1.2mm Weight: 0.274kg/m




Model: XJ-TLC11507 (Yarn sash)

Thickness: 1.2mm Weight: 0.635kg/m




Model: XJ-TLC11507A (yarn sash hook)

Thickness: 0.85mm Weight: 0.209kg/m




Model: XJ-TLC11509 (circular arc bead)

Thickness: 1.1mm Weight: 0.403kg/m




Model: XJ-TLC11507C (yarn sash closing)

Thickness: 1.2mm Weight: 0.204kg/m



Model: XJ-TLC11510 (yarn sash lock slot)



Thickness: 1.2mm Weight: 0.218kg/m




Model: XJ-FTLC11507 (lock slots)

Thickness: 1.2mm Weight: 0.267kg/m


80 SLIDING WINDOW SERIES
80 非断桥推拉窗系列




Model: XJ-TLC8001
Thickness: 1.1mm Weight: 0.488kg/m




Model: XJ-TLC8002
Thickness: 1.1mm Weight: 0.701kg/m




Model: XJ-TLC8004
Thickness: 1.1mm Weight: 0.636kg/m




Model: XJ-TLC8015
Thickness: 0.9mm Weight: 0.273kg/m




Model: XJ-TLC8013
Thickness: 1.2mm Weight: 1.249kg/m




Model: XJ-TLC8009
Thickness: 1.0mm Weight: 0.492kg/m




Model: XJ-TLC8010
Thickness: 1.0mm Weight: 0.507kg/m




Model: XJ-TLC8011
Thickness: 1.0mm Weight: 0.436kg/m




Model: XJ-TLC8012
Thickness: 1.0mm Weight: 0.265kg/m




Model:
Thickness: Weight:




Model:
Thickness: Weight:




Model:
Thickness: Weight:



Model:
Thickness: Weight:






Model:
Thickness: Weight:




Model:
Thickness: Weight:

132/201 THERMAL BREAK ALUMINUM
NARROW FRAME SLIDING DOOR SERIES


132/201 断桥窄边推拉门系列




Model: XJ-DQTM13201
Thickness: 1.8mm Weight: 2.246kg/m




Model: XJ-DQTM13204
Thickness: 1.8mm Weight: 2.415kg/m




Model: XJ-DQTM20101
Thickness: 1.8mm Weight: 3.128kg/m




Model: XJ-DQTM20104
Thickness: 1.8mm Weight: 3.239kg/m




Model: XJ-DQTM13207
Thickness: 1.8mm Weight: 1.43kg/m




Model: XJ-DQTM13202
Thickness: 1.8mm Weight: 2.444kg/m




Model: XJ-DQTM13205
Thickness: 1.8mm Weight: 0.776kg/m




Model: XJ-DQTM20102
Thickness: 1.8mm Weight: 3.396kg/m




Model: XJ-DQTM20105
Thickness: 1.8mm Weight: 1.042kg/m




Model: XJ-DQDZ12016 (Middle horizontal)
Thickness: 1.3mm Weight: 1.24kg/m




Model: XJ-DQTM13203
Thickness: 1.8mm Weight: 2.553kg/m




Model: XJ-XL354 (Gauze element)
Thickness: 1.0mm Weight: 0.321kg/m



Model: XJ-DQTM20103
Thickness: 1.8mm Weight: 3.54kg/m




Model: XJ-DQTM20106
Thickness: 1.8mm Weight: 1.889kg/m




Model: XJ-DQTM13208
Thickness: 2.85mm Weight: 2.381kg/m




Thermal break aluminum sliding door




Model: XJ-DT13208C (Single hook)
Thickness: 1.2mm Weight: 0.455kg/m




Model: XJ-DT13208D (Double hook)
Thickness: 1.2mm Weight: 0.292kg/m




Model: XJ-DZ12007 (close)
Thickness: 1.3mm Weight: 0.318kg/m




Model: XJ-TDM9039-A (lock slots)
Thickness: 1.4mm Weight: 0.206kg/m




Model: XJ-TDM9038 (Bead)
Thickness: 0.7 mm Weight: 0.111kg/m




Model: XJ-TDM11083A (Upper rail F groove)
Thickness: 1.0mm Weight: 0.211kg/m




Model: XJ-TDM11083B (Upper rail P groove)
Thickness: 1.0mm Weight: 0.196kg/m




Model: XJ-KB007 (buckle plate)
Thickness: 0.7mm Weight: 0.44kg/m




Model:
Thickness: Weight:




Model:
Thickness: Weight:




Model:
Thickness: Weight:




Model:
Thickness: Weight:



Model:
Thickness: Weight:





Model:
Thickness: Weight:




Model:
Thickness: Weight:

40 EXTREMELY NARROW SLIDING DOOR SERIES


40 极窄推拉门系列




Model: TDM105227 (Glass sash)
Thickness: 2.0mm Weight: 0.611kg/m




Model: XJ-TDM105228A (hook)
Thickness: 2.0mm Weight: 0.716kg/m




Model: TDM105229 (Up and down horizontal)
Thickness: 2.0mm Weight: 0.902kg/m




Model: PKM40429 (Glass sash)
Thickness: 2.0mm Weight: 0.676kg/m




Model: XJ-TDM105232A (Hook material)
Thickness: 2.0mm Weight: 0.775kg/m




Model: XJ-TDM105231 (Up and down horizontal)
Thickness: 2.0mm Weight: 0.967kg/m




Model: XJ-XL515
Thickness: 1.2mm Weight: 0.161kg/m




Model: XJ-XL516
Thickness: 1.0mm Weight: 0.14kg/m




Model: XJ-MTX3801 (Door pocket line)
Thickness: 1.2mm Weight: 0.443kg/m




Model: XJ-KB007 (Buckle plate)
Thickness: 0.7mm Weight: 0.44kg/m




Model: XJ-TDM105233A (close)
Thickness: 1.4mm Weight: 0.409kg/m




Model: XJ-TDM105235 (Corner angle)
Thickness: 1.2mm Weight: 0.740kg/m




Model: XJ-TDM16229 (Triple-linkage upper rail)
Thickness: 1.4mm Weight: 2.274kg/m




Model: XJ-TDM105230 (Upper rail)
Thickness: 1.4mm Weight: 1.648kg/m




Model: XJ-TDM105239 (Single upper rail)
Thickness: 1.3mm Weight: 1.002kg/m




Model: XJ-TDM16203 (Triple-linkage lower rail)
Thickness: 1.35mm Weight: 0.905kg/m




Model: XJ-TDM10534 (track rail)
Thickness: 1.35mm Weight: 0.635kg/m




Model: XJ-TDM105240 (Single rail)
Thickness: 1.3mm Weight: 0.357kg/m




Model: XJ-TDM16220
Thickness: 1.4mm Weight: 1.48kg/m




Model: XJ-TDM105222
Thickness: 1.2mm Weight: 0.898kg/m




Model: XJ-TDM105234 (Single side sealing)
Thickness: 1.3mm Weight: 0.475kg/m




Model: XJ-XL008 (Grid strip)
Thickness: 0.6mm Weight: 0.069kg/m




Model:
Thickness: Weight:




Model:
Thickness: Weight:




Model:
Thickness: Weight:




Model:
Thickness: Weight:




Model:
Thickness: Weight:



Model:
Thickness: Weight:








Model:
Thickness: Weight:




Model:
Thickness: Weight:




40 SYSTEM SLIDING DOOR SERIES
40 系统推拉门系列




Model: XJ-TDM105166 (Glass sash)
Thickness: 1.2mm Weight: 0.892kg/m




Model: XJ-ZTDM10609 (Middle horizontal for glass sash)
Thickness: 1.2mm Weight: 0.708kg/m




Model: XJ-ZTDM10617 (Frame)
Thickness: 1.2mm Weight: 1.107kg/m




Model: XJ-ZTDM10613 (frame cover plate)
Thickness: 1.2mm Weight: 0.470kg/m




Model: XJ-ZTDM16005 (three-rail frame)
Thickness: 1.2mm Weight: 1.509kg/m




Model: XJ-ZTDM10605A (70 single hook)
Thickness: 1.0mm Weight: 0.289kg/m




Model: XJ-ZTDM10615 (Upper rail)
Thickness: 1.2mm Weight: 1.364kg/m




Model: XJ-ZTDM10612
Thickness: 1.2mm Weight: 1.094kg/m




Model: XJ-ZTDM16007 (three-track upper sliding)
Thickness: 1.2mm Weight: 1.814kg/m




Model: XJ-ZTDM16006 (three-rail frame)
Thickness: 1.2mm Weight: 1.731kg/m




Model: XJ-ZTDM10619B (70 double hook)
Thickness: 1.0mm Weight: 0.433kg/m




Model: XJ-ZTDM10616 (track rail)
Thickness: 1.2mm Weight: 1.637kg/m



Model: XJ-ZTDM10603 (high double rail)
Thickness: 1.4mm Weight: 1.24kg/m







Model: J-ZTDM16008 (three-rail)
Thickness: 1.4mm Weight: 0.991kg/m



Model: XJ-ZTDM16009 (three-rail middle column)
Thickness: 1.2mm Weight: 1.523kg/m


40 EXTREMELY NARROW SIDE HUNG DOOR SERIES

40 极窄平开门系列




Model: XJ-PKM40437 (front door casing)

Thickness: 1.2mm Weight: 0.782kg/m




Model: XJ-PKM40438 (Back double door casing)

Thickness: 1.2mm Weight: 0.814kg/m




Model: XJ-PKM40436 (back door casing)

Thickness: 1.2mm Weight: 0.808kg/m




Model: PKM40429 (Glass sash)

Thickness: 2.0mm Weight: 0.676kg/m




Model: TDM105227 (Glass sash)

Thickness: 2.0mm Weight: 0.611kg/m




Model: XJ-PKM40435 (front double door casing)

Thickness: 1.2mm Weight: 0.351kg/m




Model: XJ-KB007 (Buckle plate)

Thickness: 0.7mm Weight: 0.44kg/m




Model: PKM40426 (Reverse cover)

Thickness: 1.0mm Weight: 0.146kg/m




Model:

Thickness: Weight:




Model:

Thickness: Weight:




Model:

Thickness: Weight:




Model:

Thickness: Weight:




Model:

Thickness: Weight:



Model:





Thickness: Weight:




Model:

Thickness: Weight:


40×51 SIDE HUNG DOOR SERIES
40 × 51 平开门系列




Model: XJ-PKM40200 (Glass sash)
Thickness: 1.2mm Weight: 0.666kg/m




Model: XJ-PKM40203 (front double door casing)
Thickness: 1.15mm Weight: 0.523kg/m




Model:
Thickness: Weight:




Model:
Thickness: Weight:




Model:
Thickness: Weight:




Model: XJ-PKM40201 (front door casing)
Thickness: 1.15mm Weight: 0.819kg/m




Model: XJ-PKM40453 (Back double door casing)
Thickness: 1.15mm Weight: 0.792kg/m




Model:
Thickness: Weight:




Model:
Thickness: Weight:




Model:
Thickness: Weight:




Model: XJ-PKM40202 (back door casing)
Thickness: 1.15mm Weight: 0.819kg/m




Model: XJ-KB007 (Buckle plate)
Thickness: 0.07mm Weight: 0.44kg/m



Model:
Thickness: Weight:




Model:
Thickness: Weight:



Model:
Thickness: Weight:


SHADES SERIES

百叶窗系列




Model: XJ-GD6016 (Shuttle frame)

Thickness: 1.2mm Weight: 0.721kg/m




Model: XJ-GD6017 (Shuttle frame)

Thickness: 1.1mm Weight: 0.319kg/m




Model: XJ-GD6018 (Shutter)

Thickness: 1.1mm Weight: 0.348kg/m





Model: XJ-GD6019 (I-bar)

Thickness: 1.2mm Weight: 0.201kg/m



Model: XJ-GD6020 (Outer frame)

Thickness: 1.2mm Weight: 0.293kg/m



Square tube

S/N	Product model	Specification	W/M	Remarks
01	XJ-GYC646	300 × 100 × 3.0	6.453	
02	XJ-GYC647	300 × 80 × 3.0	6.126	
03	XJ-GYC648	300 × 50 × 3.0	5.634	
04	XJ-GYC649	250 × 100 × 3.0	5.634	
05	XJ-GYC860	250 × 100 × 2.8	5.265	
06	XJ-GYC650	250 × 50 × 3.0	4.815	
07	XJ-GYC682	225 × 125 × 2.85	5.357	
08	XJ-GYC683	225 × 75 × 2.35	3.788	
09	XJ-GYC651	200 × 300 × 3.0	6.453	
10	XJ-GYC652	200 × 150 × 3.0	5.634	
11	XJ-GYC555	Square tube220 × 75 × 3.0	4.768	
12	XJ-GYC223	Square tube200 × 40 × 3.0	3.798	
13	XJ-GY570	Square tube200 × 40 × 2.0	2.596	
14	XJ-GYC445	Square tube200 × 50 × 2.0	2.71	
15	XJ-GYC445-25	Square tube200 × 50 × 2.5	3.37	
16	XJ-GYC445-30	Square tube200 × 50 × 3.0	4.026	
17	XJ-GYC446	Square tube200 × 60 × 2.0	2.82	
18	XJ-GYC447	Square tube200 × 70 × 2.0	2.92	
19	XJ-GYC448-20	Square tube200 × 80 × 2.0	3.03	
20	XJ-GYC448-25	Square tube200 × 80 × 2.5	3.78	
21	XJ-GYC448-30	Square tube200 × 80 × 3.0	4.52	
22	XJ-GYC449-20	Square tube200 × 100 × 2.0	3.26	
23	XJ-GYC449-25	Square tube200 × 100 × 2.5	4.06	
24	XJ-GYC379	Square tube200 × 100 × 3.0	4.85	
25	XJ-GYC450	Square tube200 × 90 × 2.0	3.15	
26	XJ-GYC576	Square tube185 × 130 × 2.0	3.421	
27	XJ-GYC460	Square tube175 × 60 × 2.3	2.91	
28	XJ-GYC452	Square tube160 × 160 × 2.5	4.33	
29	XJ-GYC492	Square tube160 × 80 × 3.0	3.81	
30	XJ-GYC475	Square tube160 × 40 × 4.0	4.224	
31	XJ-GYC483	Square tube155 × 70 × 5.0	5.912	
32	XJ-GYC451-20	Square tube150 × 150 × 2.0	3.26	
33	XJ-GYC451-25	Square tube150 × 150 × 2.5	4.06	
34	XJ-ZSYGF009-A	Square tube150 × 150 × 3.0	4.85	
35	XJ-GYC380	Square tube150 × 100 × 2.0	2.71	
36	XJ-GYC502	Square tube150 × 100 × 2.0	3.386	
37	XJ-GYC455	Square tube150 × 80 × 1.4	1.75	
38	XJ-GYC456	Square tube140 × 80 × 2.0	2.49	
39	XJ-ZSYGF001	Square tube150 × 65 × 3.0	3.411	
40	XJ-GYC147	Square tube150 × 50 × 2.0	2.13	
41	XJ-GYC224	Square tube150 × 40 × 2.0	2.02	
42	XJ-GYC661	Square tube123.2 × 65 × 1.6	1.616	
43	XJ-GYC544	Square tube120 × 120 × 1.9	2.468	
44	XJ-GYC491	Square tube120 × 60 × 3.0	2.871	
45	XJ-GYC484	Square tube120 × 60 × 5.0	4.67	
46	XJ-FG002	Square tube120 × 60 × 2.0	1.921	
47	XJ-GYC478	Square tube120 × 50 × 5.0	4.4	
48	XJ-GYC527	Square tube120 × 50 × 2.0	1.812	
49	XJ-FG001	Square tube135 × 135 × 2.0	2.904	
50	XJ-GYC480	Square tube105 × 105 × 1.2	1.37	

S/N	Product model	Specification	W/M	Remarks
51	XJ-GYC225	Square tube100 × 100 × 1.4	1.5	
52	XJ-YGF069	Square tube100 × 100 × 2.6	2.79	
53	XJ-YGF002	Square tube100 × 100 × 3.0	3.17	
54	XJ-YGF001	Square tube100 × 100 × 2.0	2.13	
55	XJ-GYC439	Square tube100 × 80 × 1.4	1.36	
56	XJ-GYC376	Square tube100 × 50 × 1.4	1.13	
57	XJ-GYC377	Square tube100 × 50 × 2.0	1.61	
58	XJ-GYC143	100 × 50 × 3.0	2.35	
59	XJ-GYC414	Square tube100 × 44 × 1.2	0.93	
60	XJ-GYC176	Square tube100 × 40 × 1.3	0.97	
61	XJ-GYC481	Square tube100 × 44 × 1.4	1.087	
62	XJ-YGF072	Square tube100 × 44 × 2.5	1.91	
63	XJ-GYC623	Square tube100 × 20 × 1.5	0.958	
64	XJ-GYC184	Square tube100 × 30 × 2.0	1.26	
65	XJ-GYC163	Square tube85 × 18 × 1.0	0.52	
66	XJ-GYC088	Square tube85 × 15 × 0.7	0.356	
67	XJ-GYC378	Square tube85 × 45 × 2.0	1.33	
68	XJ-GYC129	Square tube75 × 25 × 1.0	0.52	
69	XJ-GYC596	Square tube75 × 25 × 1.4	0.756	
70	XJ-GYC438	Square tube76 × 44 × 1.0	0.65	
71	XJ-GYC597	Square tube76 × 44 × 1.4	0.756	
72	XJ-XL148	Square tube76 × 44 × 1.2	0.77	
73	XJ-HB6110	Square tube76 × 44.5 × 0.9	0.58	
74	XJ-GYC660	Square tube65 × 65 × 1.6	1.108	
75	XJ-GYC436	Square tube60 × 60 × 1.2	0.78	
76	XJ-GYC008	Square tube60 × 60 × 1.5	0.95	
77	XJ-GYC833	Square tube60 × 40 × 0.8	0.429	
78	XJ-GYC624	Square tube60 × 40 × 2.0	1.048	
79	XJ-GYC383	Square tube55 × 55 × 2.0	1.17	
80	XJ-GYC685	Square tube55 × 55 × 3.8	2.122	
81	XJ-GYC384	55 × 22 × 1.2	0.49	
82	XJ-GYC025	Square tube50 × 50 × 5.0	2.475	
83	XJ-GYC264	Square tube50 × 50 × 1.4	0.75	
84	XJ-GYC832	Square tube50 × 50 × 0.8	0.429	
85	XJ-GYC130-A	Square tube51 × 25.4 × 0.9	0.36	
86	XJ-XL149	Square tube51 × 25 × 1.25	0.49	
87	XJ-GYC598	Square tube50 × 25 × 1.4	0.555	
88	XJ-GYC434	Square tube40 × 40 × 1.0	0.43	
89	XJ-YH-40X40	Square tube40 × 40 × 1.4	0.593	
90	XJ-GYC435	Square tube38 × 48 × 1.0	0.46	
91	XJ-GYC433	Square tube38 × 38 × 0.8	0.33	
92	XJ-GYC220	Square tub38 × 25 × 1.0	0.33	
93	XJ-GYC432	Square tub38 × 35 × 0.8	0.3	
94	XJ-GYC322	Square tub32 × 32 × 1.2	0.41	
95	XJ-GYC229	Square tub30 × 30 × 1.2	0.376	
96	XJ-XL451	Square tub30 × 17.8 × 1.0	0.277	
97	XJ-GYC009	Square tub30 × 8.4 × 1.7	0.67	
98	XJ-FG25X25	Square tube25 × 25 × 1.15	0.301	
99	XJ-GYC431	Square tub20 × 20 × 0.6	0.13	
100	XJ-YH-20X16	Square tub20 × 16 × 0.8	0.15	
101	XJ-GYC321	Square tub19 × 19 × 1.1	0.22	